

INDEX MAPS.

T. 32 N. R. 4 W. 2nd Mer.



T. 33 N. R. 4 W. 2nd Mer.



☞ The figures on the lines refer to the page.

Township 33 North Range 4 West 2nd. Mer. Ind.a

	South Boundary.
	(Var. 5°. 35'E.)
West	On the S. side of section 36
23.00	Leave the wet prairie
40.00	Set the gr. sec. cor. post from which a W. Oak 4 in. dia. bears N 18E 41 lks. dist, & a Oak 10 " " " N 50 W 60 " "
70.00	Enter a wet prairie
80.00	Set a post cor. to secs. 35 & 36 from oak, a W. Oak 7 in. dia, bears N 76 E 81 lks. dist, & a B. Oak 7 " " " N 13 E W 80 " "
	Land level & poor & the timber is from Oak &
West	On the S. side of sec. 35
17.00	Leave the wet prairie
40.00	Set the qr. sec. cor. post from which a S. Oak 12 in. dia. bears N 86 E 45 lks. dist, & a Do. 6 " " " N 36 W 20 " "
44.00	Enter a wet prairie
80.00	Set a post cor. to secs. 34 & 35 from oh, a W. Oak 12 in. dia. bears N 23 W 63 lks, & a Do. 12 " " " N W 64 " dist
	Land &c. is same as on last mile,
West	On the S. side of sec. 34. T 33 N R 4 W
40.00	Set the qr. sec. cor. post from which a W. Oak 10 in. dia. bears N 89 E 84 lks, & no other given
80.00	Set a post cor. to secs. 33 & 34 a B. Oak 12 in. dia. bears S 84 W 55 lks,
	Land level poor & the timber is oak,
West	On the S. side of sec. 33,
40.00	Set the qr. sec. cor. post from which

T. 33 N. R. 4 W. 2nd. Mer. Ind.a

6.50	a Br. Oak 6 in. dia. bears N 26 E 80 lks,
	& a B. Oak 16 " " " N 20 E 93 " dist
57.00	Leave the wet prairie
62.67	To the left bank of Kankakee river N.W,
	a B. Oak 20 in. dia. bears N 62 E 14 lks. dist,
	& a W. Ash 8 " " " South 17 " "
69.00	To a Maple 8 on Right Bank of River
80.00	Set the post cor. to secs, 32 & 33,
	a Maple 8 in. dia. bears N 85 E 70 lks. dist,
	& a Willow 4 " " " N 3 W 9 " "
	Land level & 2nd rate & very little timber
	E. of River. Most the timber is Ash Elm
	& Maple & Willow &c

West	On the S. side of Sec. 32
6.28	To a Birch 5 in. dia. on bayou of River,
9.88	Over the Bayou at a Birch 4 in. dia. cor,
40.00	Set the qr. Sec. cor. post from which
	a W. Oak 24 in. dia. bears N 28 E 192 lks,
	& a Br. Oak 6 " " " N 58 W 90 " dist,
57.00	Enter a dry prairie
80.00	Set a post cor. to secs, 31 & 32 from wh,
	no bearings - nor mound ground
	froze too hard. Land level & 2nd rate
	& the timber. E. of prairie. Ash, Elm
	Maple and some Oak &c

West	On the S. side of Sec. 31
37.00	Enter grove of Oak timber
40.00	Set the qr. Sec. cor. post from which
	a W. Oak 20 in. dia. bears N 76 ½ E 137 lks,
	& a Do. 16 " " " N 62 ½ W 203 "
63.00	Leave grove timber
81.17	To the W. boundy. 77 lks. S. of post,

T. 33 N. R. 4 W. 2nd. Mer. Ind.a.

	On the E. boundary of Twp. 33 N. Range 4 W. 2nd. Mer. Ind.a.
	where set a post cor. to Towns 32 & 33 N. Ranges 4 & 5 West. from which —
	a B. Oak 20 in. dia. bears N 88 E W 1146 lks.
	& Do. 20 " " " S 86 3/4 W 1161 "
	Land level soil good & the timber is oak
	January 4th 1834. — Var. 5° 35' E. —
	Surveyed by Sylvester Sibley Dep. Sur,

East Boundary.

B. Oak 20 N 73 W 1167. — Do. 16 N 46 W 655. Var. 6° 15' E,

North	On the E. side of sec. 36,
40.00	set the qr. sec. cor. post from which
	a B. Oak 12 in. dia. bears N 54 W 125 lks.
	& a Do. 10 " " " N 43 E W 237 "
50.00	To border of a marshy lake. Kankakee river running through it. set post from wh.
	a B. Oak 20 in. dia. bears S 61 W 423 lks. dist.
	& a Do. 21 " " " S 29 W 486 " "
73.00	Set post on the N. side of the lake —
	a B. Oak 9 in. dia. bears N 49 E W 16. 81 lks.
	& no other near,
80.00	set a post cor. to secs. 35 & 36 from wh.
	a B. Oak 9 in. dia. bears N 72 W 1871 lks.
	& no other. Land flat poor & a few scattering oaks.

North	On the E. side of sec. 25
40.00	set the qr. sec. cor. too wet to raise mound
80.00	set a post cor. to secs. 24 & 25 from wh.
	a B. Oak 15 in. dia. bears N 31 W 543 lks. dist.
	& a Do. 18 " " " N 23 W 509 " "
	Land all marsh & poor & no timber

North	On the E. side of sec. 24 —

T. 33 N. R. 4 W. 2nd. Mer. Ind.a

C. L.	
10.00	Leave mark & grove of Oak
40.00	Set the qr. sec. cor. post from which a W. Oak 12 in. dia. bears S 19 W 54 lks. dist. & a Do. 6 " " " N 33 W 72 " "
47.00	Leave grove & Enter wet prairie
80.00	Set a post cor. to secs 13 & 24 from which a W Oak 18 in. dia bears S 39 W 161 lks dist. & a Do. 18 " " " S 85 W 156 " " Land level & sec.nd rate & the timber Oak,

---

North	On the E. side of sec. 13,
40.00	Set the qr. sec. cor. post in prairie a mound to be made,
80.00	Set post cor. to secs 12 & 13, mound to be made, Land level & sec.d rate,

---

North	On the E. side of sec. 12;
40.00	Set the qr. sec. cor post in prairie mound to be made,
80.00	Set a post cor. to secs. 1 & 12, mound to be made Land &c. is same as last mile,

---

North	On the E. side of sec. 1
40.00	Set the qr. sec. cor. post, in prairie mound to be made,
80.00	Set a temp.y town corner, Land level & 2nd rate South of stream. Remainder is marsh & pond January 10th 1834. — Var. 6° 15' E, Surveyed by - Sylvester Sibley D.S.

North Boundary. (Var. 5° 35' E.)

T. 33 N. R. 4 W. 2nd, Mer. Ind.a;

West	On the S. side of Sec. 36 & 34 N R 4 W
40.00	Set the gr. sec. cor. post in water — too deep to raise a mound
80.00	Set a post cor. to secs. 35 & 36 in water too deep to raise a mound
	Land flat & wet prairie soil poor & no timber at all
West	On the S. side of Sec. 35 & 34 N R 4 W
40.00	Set the gr. sec. cor. post, mound to be made,
80.00	Set a post cor. to secs. 34 & 35 from wh. a Willow 4 in. dia. bears S 52 W 51 lks. dist, & a Do. 4 " " " N 84 ½ E 22 " "
	Land &c. is same as on last mile,
West	On the S. side of sec. 34 & 34 N R 4 W
15.00	Enter Oak land
31.63	W. Oak 12 in. dia. in the line,
40.00	Set the gr. sec. cor. post from which a B. Oak 12 in. dia. bears N 16 W 81 lks. dist & a Do. 10 " " " N 81 W 24 " "
48.26	W. a B. Oak 18 " " in the line,
66.00	Enter a wet prairie
80.00	Set a post cor. to secs. 33 & 34 from wh. a B. Oak 9 in. dia. bears N 65 W 113 lks, & a Do. 7 " " " N 6 ½ E 259.
	Land last 2nd rate & the timber is W. & B. Oak &c
West	On the S. side of sec. 33 & 34 N R 4 W
2.00	Enter Oak land
25.00	Enter a wet prairie
40.00	Set the gr. sec. cor. post from which

T. 33 N. R. 4 W. 2nd. Mer. Ind.

6. Ls.	a W. Oak 20 in. dia. bears N 88 E 16 25 lks,
	& a Do. 7 " " " N 89½ E 16 25 "
78.00	Leave the wet prairie
80.00	Set a post cor. to secs. 32 & 33 from wh.
	a W. Oak 20 in. dia. bears N 55 E 64 lks. dist,
	& a Do. 18 " " " N 27 W 129 " "
	Land level & sec. rate timber Oak &c,

West	On the South side of sec 32 & 33 T. 33 N R 4 W
25.39	Ds a W Oak 12 in. dia. in the line,
40.00	Set the qr. secs. cor. post from which
	a W. Oak 16 in. dia. bears N 49 W 114 lks. dist,
	& a Do. 12 " " " N 2 W 188 " "
57.00	Enter a wet prairie
80.00	Set a post cor. to secs. 31 & 32
	a W. Oak 22 in. dia. bears N 53 E 6.96 lks,
	& a W. Oak 20 " " " N 47 E 7.08 " dist,
	Land &c. is same as on last mile,

West	On the South side of sec. 31 & 34 T. 33 N R 4 W
16.00	Leave the wet prairie
25.02	Ds a W Oak 18 in. dia. in the line,
40.00	Set the qr. secs. cor. post from which
	a W. Oak 12 in. dia. bears N 33 E 2.73 lks,
	& a Do. 18 " " " N 38½ E 3.58 " dist,
80.00	Ds the W. boundy. 30.3 lks. N. of temp.
	post; set post cor. to Ls. 33 & 34 N. 16.45 W.
	a W. Oak 14 in. dia. bears N 31 W 5.47 lks. dist
	& a W. Oak 14 " " " N 66 E 4.68 " "
	Land level & 2nd rate & the timber is Oak
	Jany. 16th. 1834 — Var. 5° 35' E, —
	Surveyed by Sylvester Sibley, Dep. Surv.

West Boundary. Var. 6° 25' E.

T. 33 N. R. 4 W. 2nd. Mer. Ind.a.

	E. L.
North	On the E. side of Sec. 36 T 33 N R 6 W
10.00	Leave dry & enter wet prairie
40.00	Set the gr. sec. cor. post in same too wet to raise a mound,
80.00	Set a post cor to secs. 25 & 36 too wet to raise a mound,
	Land level poor & no timber,

North	On the E. side of Sec. 25 T 33 N R 5 W
40.00	Set the gr. sec. cor. post in prairie too wet to raise a mound
80.00	Set a post cor. to secs. 24 & 25 from wh, a G. Oak 16 in. dia. bears N 22 E 67 lks, & a Do. 18 " " " N 16 E 67 lks, dist.
	Land &c. same as last mile,

North	On the E. side of Sec. 24 T 33 N R 5 W
6.00	Leave the wet prairie & timber,
40.00	Set the gr. sec. cor. post from which a G. Oak 20 in. dia. bears N 70 E 121 lks, & a Do. 7 " " " N 45 E 135 "
	Land level & 3d. rate & the timber Oak
80.00	Set a post cor. to secs. 13 & 24 from wh, a G Oak 15 in. dia. bears N 10 E 423 lks dist, & a Do. 18 " " " N 3 E W 416 " "
	Land level 3d. rate & timber Oak,

North	On the E. side of Sec. 13 T 33 N R 5 W
32.00	Enter a wet prairie
40.00	Set the gr. sec. cor. post from which a W. Oak 15 in. dia. bears N 21 E 446 lks, & a Do. 10 " " " N 35 E 453 dist,
80.00	Set a post cor. to secs. 12 & 13 from wh, a W. Oak 18 in. dia. bears N 33 E 700 lks,

T. 33 N. R. 4 W. 2nd. Mer. Ind.a

	Cor. S.
	Va Oak 6 in. dia. bears N 71 E 99 lks. dist, Land level sec.d rate & stone Oak
North 60.00	On the E. side of sec. 12 T 33 N R 5 W
60.00	set the qr. sec.s cor. post in prairie a mound to be made,
80.00	set a post Cor. to secs. 1 & 12 in prairie Mound to be made Land flat 2nd. rate & no timber
North 60.00	On the E. side of sec. 1 T 33 N R 5 W
60.00	set the qr. sec.s. cor. post in prairie mound to be made,
66.00	To a stream 15 lks. wide run. N.W.
80.00	set a temp.y town corner, Land &c. same as last mile, Jany. 9th. 1834, — Var. 6°. 25 E — Surveyed by Sylvester Sibley, D. S.
	Subdivisions. (Var. 5°. 45 E,)
North 7.50	Between sections 35 & 36, Leave the marsh
22.67	To a B Oak 12 in. dia. in the line,
24.20	a a Large trail/ cn. N.E. & S.W.
60.00	Set the qr. sec.s cor. post from which a B. Oak 4 in. dia. bears N 32 W 35 lks, & a Red Oak 6 in a a N 72 E 45 lks. dist.
45.00	Enter a prairie
50.50	To a trail cn. E & W,
66.00	To the Left bank of Kankakee River or what I suppose the Indians call "English Lake" & set a post no bearings
80.00	Corner of secs. 25. 26. 35 & 36 in river or lake no post set nor bearings

T. 33 N. R. 4 W. 2nd Mer. Ind.a

	G. L. Land S. of river quite dry & level & the timber is Oak & Aspen — N. E. wheatly,
East	On Random between secs. 25 & 36
5.50	Out on the Right bank of river,
32.45	To a trail, ca. N & S. nearly,
42.63	" Right bank of river or English lake
49.50	Out on the same side —
80.00	To the E. line of sec, 40 lks. N. of post Land nearly level & what is out of Kankakee dry & looks pretty well the only place where I have found such immediately on the bank of Kankakee,
West	Correct the line between sections 25 & 36
30.50	To Right bank of River Set post from wh, a R Oak 22 in. dia. bears N 18 E W 316 lks. dist,
37.37	Out of the River Set post on same side a Red Oak 26 in dia bears N 42 E W 226 lks,
40.00	Set the qr. sec. cor. post from which a Red Oak 22 in dia. bears N 66 W 134 lks, & a Do. 18 " " " & 68 W 152. "
74.50	Set a post on Right bank of Kankakee R, a R Oak 21 in dia. bears N 41 E 662 lks. dist,
80.00	To the section corner,
North	Between sections 25 & 26
3.00	Out & set post on Right bank of Kankakee a B. Elm 24 in. dia. bears N 43 E 678 lks. dist & a W. Oak 30 " " " N 4 W 110 " .
40.00	Set the 2 s. sec. cor. post from which a W. Oak 20 in. dia. bears N 50 E 645 lks, & a B. Oak 8 " " " N 82 W 26 "
48.95	To a W Oak 20 " " in the line,

T. 33 N. R. 4 W. 2nd. Mer. Ind.a.

G. L.	
50.45	Enter a wet prairie
64.00	Leave the a Do lying E & W
68.28	To a Red Oak 20 in. dia. in the line,
80.00	Set a post cor. to secs. 23. 24. 25 & 26, a Red Oak 21 in. dia. bears N ½ W 22 ½ lks, & a Do. 20 " " " S 16 ½ W 26 lks. Land rolling & third rate soil sandy & the timber is Oak. Hickory. Aspen. Gum Sassafras & Shrubbery &c

East	On Random line between secs. 24 & 25
7.00	Enter a dry prairie
22.50	Leave the a Do. circular
39.00	Enter a prairie
45.00	To a trail cr. N & S,
56.00	Touch E. side of timber
80.04	To the E. line of sec. 58 lks. N. of post Land a little rolling 3rd rate & the timber is Oak Gum Sassafras Aspen &c

West	Correct the line between secs. 24 & 25
40.02	Set the qr. sec. cor. post from which a Red Oak 10 in. dia. bears S 81 ½ W 112 lks & a Do. 12 " " " N 66 ½ W 133 lks.
57.10	To a Oak 18 " " in the line,
80.04	To the section corner,

North	Between sections 23 & 24
10.25	To a Hickory 8 in. dia. in the line,
19.11	To a W. Oak 20 " " " " "
22.50	Enter grand Kankakee marsh
33.00	Touched point of narrow point of timber
40.00	Set the qr. sec. cor. post from which

T. 33 N. R. 4 W. 2nd. Mer. Ind.a

	On L.
	a B. Oak 24 in. dia. bears S 5 E 672 lks,
	& a Do. 22 a " " N 3½ W 147.
50.00	Enter W. end of point of timber
56.00	Leave the same
80.00	Set the post cor. to secs. 13. 14. 23 & 24
	in water knee deep, no mound
	Land level & mostly marsh & third rate
	& the timber is Oak Hickory & Sapaphras
	& Aspen & White &c ——— do
East	On Random between secs. 13 & 24
35.00	Leave deep water & Prairie gets dry,
62.60	To an Indian trail cr. NE & SW
80.00	To the E. boundy. of sec. 24 lks. N. of post,
	Land level & third rate & wet & marsh
	E dry & fine scattering trees & clusters
	of Oak trees on L. Oak.
West	Correct the line between secs. 13 & 24
40.00	Set the ¼ sec. cor. post from which
	a Red Oak 22 in. dia. bears N 56¾ E 639 lks,
	& a Do. 18 " " " N 16 E 592 "
80.00	To the section corner, July 18th 1834
North	Between sections 13 & 14
40.00	set the ¼ sec. cor. post in water
	too deep to raise a mound
80.00	set a post cor. to secs. 11. 12. 13 & 14
	in water 8 in. deep. Land all
	marsh, near half of it thickly set
	with small growth of willow &c
East	On Random between secs. 12 & 13
56.00	The marsh becomes dry

T. 33 N. R. 4 W. 2nd Mer. Ind.

60	L.
80.00	To the E. line of sec. 50 lks. N. of post. Land wet prairie & wet & considerably marshy. 4th rate.
West	Correct the line between secs. 12 & 13,
40.03	Set the 1/4 sec. cor. in water too deep to raise a mound,
80.06	To the section corner,
North	Between sections 11 & 12
40.00	Set the qr. sec. cor. post in water too deep to raise a mound
80.01	Set a post cor. to secs. 1, 2, 11 & 12 in water too deep to raise a mound. Land nearly all covered with water
East	On Random between secs. 1 & 12
80.14	To the E. line of sec. 62 lks. N. of post, Land all a slough, deep water,
West	Correct the line between secs. 1 & 12
60.07	Set the qr. sec. cor. post. Grown ch, no bearings — too much water!
80.14	To the section corner,
North	Between sections 1 & 2
40.00	The qr. post two ft. deep in water
81.93	To the N. boundy. at post, Land all miserable marsh
	July 19th 1834 —
North	Between Sections 34 & 35
6.00	Leave the wet prairie
28.65	To a trail cor. N. E. & W.

T. 33. N. R. 4 W. 2nd Mer. Ind.a

	N. E.
37.50	To the left bank of Kankakee. water too deep to raise a mound. no bearings
42.66	Over to Right bank & set post from wh. a Red Oak 24 in. dia. bears N 46½ W 20 lks, & a Gray Ash 18 " " " N 69½ E 20 "
60.50	Leave the timber & Enter o flowed bottoms
80.00	Set a post cor. to secs. 26. 27. 34 & 35. Near a Red Oak 17 in. dia. bears N 83½ E 88 lks, & a Do. 24 " " " N 82¼ W 271 " Land S. of river sterile & bares et. of river pretty good soil but all overflows upon the whole 3rd rate & the timber is Oak Birch. Maple. Elm Ash Sycamore. Willow
	East
19.00	On Random between secs. 26 & 35
79.98	To the right bank of the Kankakee river To the E. line of sec. 35 lks. N. of post. Land mostly in Kankakee river. W. of R, level dry Oakland & third rate —
	West
39.99	Correct the line between secs. 26 & 35
60.98	Set the qr. sec. cor. post in river no bearings taken Set post on right bank of Kankakee a Red Oak 24 in. dia. bears N 22 W 203 lks & a Do. 26 " " " N 12½ E 286 "
79.98	To the section corner,
	North
10.00	Between sections 26 & 27 Leave the timber
25.00	Enter scattering timber
30.00	Leave Do. & Enter skirt of E. Marsh
40.00	Set the qr. secs. cor. post from which a Red Oak 6 in. dia. bears N 68½ E 48½ lks,

T. 33 N. R. 4 W. 2nd Mer. Ind.a

6. L.	
	& a B. Oak 18 in. dia. bears N 50 E 538 lks. dis.,
66.00	Enter deep water in marsh
80.00	Set a post cor. to secs. 22. 23. 26 & 27 from which no bearings, in bull rush swamp water too deep to raise a mound, Land is level & third rate & the timber is scat. Oak,
East	On Random between secs. 23 & 26,
46.00	Leave S. edge marsh & Enter timber
80.00	To the S. line of sec. 49 lks. N. of post, Land level & third rate & the timber is Oak Hickory, Aspen, Sassafras & shorter to border of grand marsh interspersed with small willows &c
West	Correct the line between secs. 23 & 26,
4.61	To a Red Oak 18 in. dia. in the line,
6.86	" " W. Oak 23 " " " " "
40.00	Set the qr. sec. cor. post from which, a B. Oak 24 in. dia. bears N 56 E 614 lks. dis. & a Do. 14 " " " S 86 E 622 " "
80.00	To the section corner,
North	Between section 22 & 23
40.00	Set the qr. sec. cor. post in swamp water too deep to raise a mound
66.00	To small grove 10 lks W. of line,
80.00	Set a post cor. to secs. 14 & 15. 22 & 23, in water knee deep among the rushes, Land all covered with water rushes &c,
	July 20th 1834
East	On Random between secs. 14 & 23
80.06	To the E. line of sec. 51 lks. N. of post

T. 33 N. R. 4 W 2nd. Mer. Ind.a

E. L.	Land &c. is all the same as last,
West 40.03	Correct the line between secs. 14 & 23, Set the qr. secs. cor. post from which no bearings - being in slough, & no mound of corns —
80.06	to the sections corner,
North 25.00	Between sections 14 & 15, water not quite so deep
40.00	Set the qr. secs. cor. post too wet to raise a mound -
80.00	Set a post corner, to secs. 10. 11. 14 & 15 — in a reasonable marsh — Land third rate, too wet for any useful purpose whatever.
East 35.00	On Random between secs. 11 & 14 Take the slough again,
79.92	to the E line of sec. 68 lks. N. of post, Land all marsh & 3d. rate & the largest half of it is deep waters.
West 39.96	Correct the line between secs. 11 & 14 Set the ¼ secs. cor. post in water 1 ft. deep
79.92	to the sections corner,
North 40.00	Between sections 10 & 11 — Set the qr. secs. cor. post in water too deep to raise a mound
80.00	Set a post cor. to secs. 2. 3. 10 & 11 in bull rush swamps water too deep to raise a mound, Land is same as last mile.

T. 33 N. R. 4 W. 2nd Mer. Ind.

G. L.	
East	On Random between sec. 2 & 11
80.12	To the E. line of sec. 36 lks. N. of post, this country, for land there is none — beggars description —
West	Correct the line between sec. 2 & 11
40.06	Set the qr. sec. cor. post from which no bearings, being in shaking marsh
West	Correct the line between sec. 2 & 11
40.06	Set the qr. sec. cor. post in shaking marsh
80.12	To the section corner,
North	Between sections 2 & 3,
40.00	Set the qr. sec. cor. post in water too deep to raise a mound,
81.47	To the N. boundy. 12 lks. West of post, where set a post cor. to sec. 2 & 3, no bearings on S. side & too wet to raise a mound. July 21st 1834 —
North	Between sections 33 & 34
24.18	To the left bank of Kankakee river at ford, a Birch 6 in. dia. bears N 87½ W 31 lks. dist & a Do. 5 " " " N 86 E 18 " "
27.55	Over & set post on Right bank a Willow 8 in. dia. bears N 40 W 5 lks. dist, & a Do. 6 " " " N 25 E 4 " "
37.38	To a W. Elm 15 " " in the line,
40.07	Set the 2r. sec. cor. post from which a S. Ash 23 in. dia. bears N 25 E 5 lks. dist, & a Do. 20 " " " S 72 W 6 " ,
42.00	Set a post on Right bank of Kankakee a Willow 6 in. dia. bears S 50 E 4 lks. dist,

T. 33 N. R. 4 W. 2nd. Mer. Ind.a.

E. L.	& a Do. 4 in. dia. bears N 50 W 3 lks. dist,
46.40	Over set post on Left bank from wh,
	a Red Oak 22 in. dia. bears N 57 W 18 lks. dist,
	& a G. Ash 6 " " " N 20 E 19 " "
46.93	To a Birch 8 " " in the line,
50.00	Enter a slough
76.00	Leave the Do. & Enter timber
80.00	Set a post cor. to secs. 27 28. 33 & 34
	a G. Ash 16 in. dia. bears N 67½ E 52 lks,
	& a Bur. Oak 22 " " " N 2½ W 52 "

East	On Random between secs. 27 & 34
2.88	Leave the timber,
13.00	To left bank of Kankakee river in water
21.69	Over to the right bank of Do,
74.00	Enter a prairie
80.10	To the E. line of sec. 34 thro. D. of post
	Land 3d rate. Marsh of River wet
	Some flows. E. of river dry & timbered
	with scattering Oak & Hickory & Birch
	on River Bank. —

West	Correct the line between secs. 27 & 34
13.11	To a B. Oak 21 in. dia. in the line,
40.05	Set the qr. secs. cor. post from which
	a Red Oak 17 in dia. bears N 36 E 42 lks,
	& a Do. 19 " " " N 49 E 22 "
58.66	Set a post on Right bank of Kankakee,
	a Birch 13 in. dia. bears N 66½ W 31 lks. dist,
	& a Do. 11 " " " N 30 E 35 " "
67.16	Over the river, though no bank—
	no bearings. to be had, except to rain
	a mound,
80.10	To the section corner,

T. 33 N. R. 4 W. 2nd Mer. 2nd q.

G.L. North	Between sections 27 & 28,
6.50	Over dist a post on a Right bank in a dry prairie from which a Birch 5 in. dia. bears N 43½ W 62 lks. dist, & a Do. 4 " " " N 67½ E 65 " "
30.50	Enter a grove & leave dry prairie
40.00	set the qr. secs. cor. post from which a W. Oak 23 in. dia. bears N 1½ E 15 lks. dist, & a Ds. 21 " " " N 29½ W 36 " "
54.49	To a B. Oak 19 " " in the line,
55.00	Leave the grove & Enter Prairie
80.00	set a post cor. to secs. 21, 22, 27 & 28. water too deep to raise a mound, Land third rate & the timber on grove Oak & Sassafras, the soil sandy.
East	On Random between sec. 22 & 27
79.96	To the E. line of secs. 42 lks. S. of post Land covered with deep water & marsh
West	Correct the line between sec. 22 & 27
39.98	set the qr. sec. cor. post in water knee deep
79.96	To the section corner,
North	Between sections 21 & 22,
40.00	set the qr. sec. cor. post in mound,
80.00	set the ~~post cor. to secs.~~ 15. 16. 21 & 22 in deep water. Land all bullrush marsh,
East	On Random between sections 15 & 22
60.00	To a little dry strip of land
69.00	Leave the Do. Take the water,
79.87	To the E line of sec. 53 lks. S. of post, Land 4th rate, sand as last mile,

T. 33 N. R. 4 W. 2nd Mer. Ind.a

C. L.	
West	Correct the line between secs. 15 & 22,
39.93	Set the gr. secs. cor. post in water.
79.87	To the section corner. July 22nd 1834
North	Between sections 15 & 16
40.00	Set the 2r. secs. cor. post in mark,
80.00	set a post cor. to secs. 9, 10, 15 & 16,
	Land all grand marsh as heretofore
East	On Random between sections 10 & 15,
79.72	To the E. line of sec. 63 lks. S. of post,
	Land same as last mile but deeper,
West	Correct the line between secs. 10 & 15,
39.86	To the 2r. secs. cor. post in marsh,
79.72	To the section corner,
North	Between sections 9 & 10
40.00	Set the gr. secs. cor. post from which
	no bearings, in water in marsh.
80.00	Set a post cor. to secs. 3, 4, 9 & 10 in mds,
East	On Random between sec. 3 & 10
79.66	To the E. line of sec. 84 lks. S. of post,
	Land &c. is same as last mile,
West	Correct the line between secs. 3 & 10
39.73	Set the gr. secs. cor. post too wet to rise
	a mound —
79.46	To the section corner,
North	Between sections 3 & 4
26.00	Leave marsh & Enter timber,
34.00	Enter a marsh

T. 33 N. R. 4 W. 2nd. Mer. Ind.

G. L.	
40.00	Set the qr. sec. cor. post from which no bearings - & to set for a mound
51.00	To the same timber again
81.63	To the N. boundy, 86 lks. E. of post, where set a post Cor. to secs. 3 & 4 from wh a B. Oak 7 in. dia. bears N 13¼ W 26½ lks. dist, mound on the E. side near, Land level & 3d. rate & the timber is Oak, with some Aspen & Whortle &c. July 23d 1834 —

North	Between sections 32 & 33,
4.00	Leave slough
17.73	To a Maple 23 in. dia. in the line,
19.00	To the Right bank of bayou a Birch 6 in dia. bears S 31 W 7 lks. dist, & a W. Elm 6 " " " East 28 " "
22.73	Cross bayou at post on Right bank, a R. Oak 24 in. dia. bears S 49 E 11 lks, & a Birch 12 " " " S 43¾ W 36 " dist,
40.00	Set the qr. sec. cor. post in prairie too wet to raise a mound
80.00	Set a post cor. to secs. 28. 29 32 & 33, in bed rushy swamp & S. marsh, Land S. of bayou overflowed bottom & the timber on it is Beech, Maple Elm Ash, Sycamore Willow N. of bayou is prairie, which becomes E. marsh

East	On Random between secs. 28 & 33,
58.00	becomes dry prairie
68.50	To Right bank of Kankakee river,
80.06	To the E. line of sec. 42 lks. N. of post Land all marsh except close to river

T. 33 N. R. 4 W. 2nd Mer. Indiana.

G. L.	
West	Correct the line between sec. 28 & 33
11.33	over the river & set a post on R. bank,
	& Raised a mound for novelty.
40.03	Set the qr. sec. cor. post in marsh,
80.06	2's the sections corner,
North	Between sections 28 & 29
40.00	Set the qr. sec. cor. post in water.
80.00	Set a post cor. to secs. 20. 21. 28 & 29 in ds.
	Land as bad as it can well be,
East	On Random between sec. 21 & 28,
79.92	2's the E. line of secs. 6 Ths. S. of N. of post
	Land &c is same as our last mile,
West	Correct the line between secs. 21 & 28,
39.96	Set the qr. sec. cor. post in water 2 ft.
79.92	2's the section corner. July 24th 1834.
North	Between sections 20 & 21
40.00	Set the qr. sec. cor. post thro' thick ice,
80.00	Set a post cor. to secs. 16. 17. 20 & 21 in ice,
	no bearings — nor mounds — land deep
	water. Bull rushes & marsh grass,
East	On Random between sections 16 & 21
79.88	2's the E. line of secs. 12 Ths. S. of post,
	Land &c is same as on last mile,
West	Correct the line between secs. 16 & 21
39.94	Set qr. sec. cor. post in thick ice,
79.88	2's the sections corner,
North	Between sections 16 & 17,

T. 33 N. R. 4 W. 2nd. Mer. Ind.

G.L.	
40.00	Set the qr. secs. cor. post in mark
80.00	Set a post cor. to secs. 8. 9. 16 & 17 in do,
	Land Do. is same as on last mile
East	On Random between secs. 9 & 16
50.00	Touched the E. side of grove
79.80	To the E. line of secs. 22 Lks. S. of post,
	Land covered with ice & water over it,
West	Correct the line between secs 9 & 16
39.90	Set the qr. secs. cor. post from which
	a B. Oak 18 in. dia. bears N 22 W 200 Lks. dist,
	no other. (cor. in small grove,)
79.80	To the section corner,
North	Between sections 8 & 9
60.00	Set the qr. secs. cor. post in Hog creek,
	a Red Oak 11 in. dia. bears N 48 W 21 Lks. dist,
	& a W. Elm 13 " " " N 14 E 534 " "
75.00	Leave the P. mark & Enter creek, bank,
80.00	Set the secs cor. post of 4. 5. 8 & 9 from which
	a W. Oak 23 in. dia. bears S 74 E W 67 Lks. dist,
	& a Do. 12 " " " S 10 E 92 " "
	Land covered with water of Hog creek,
East	On Random between secs. 4 & 9
68.00	Enter a G. mark
79.76	To the E. line of secs. 36 Lks. S. of post,
	Land level & third rate timber Oak &c,
West	Correct the line between secs. 4 & 9
39.88	Set the qr. secs. cor. post from which
	a R. Oak 10 in. dia. bears S 63 E W 96 Lks,
	& a Do 8 " " " S 50 E 76 "

T. 33 N. R. 4 W. 2nd Mer. Ind.a

C. L.	
79.76	To the sections corner,
North	Between sections 4 & 5
10.00	Enter a marsh (= marsh
40.00	set the qr. secs. cor. post near N. side of a Red Oak 20 in. dia. bears N 1¼ E 169 lks. dist.
41.50	Leave the marsh
47.11	To a Red Oak 23 in. dia. in the line,
50.00	Enter a marsh again
81.80	To the N. boundy. 199 lks. E. of post, where set post cor. to secs. 4 & 5 from wh. a Red Oak 22 in. dia. bears N 60 W 119 lks. dist, & a Do. 23 " " " N 26½ E 234 " Land level & 3rd. rate & the timber Oak, January 16th. 1835,
North	Between sections 31 & 32
40.00	set the qr. secs. cor. post from which no bearings. being in ice,
80.00	set a post cor. to secs. 29. 30. 31 & 32 = Land all grand marsh. (in ice
East	On Random between sections 29 & 32
80.02	To the E. line of secs. 11 lks. N. of post, Land & is same as last mile,
West	Correct the line between secs 29 & 32
40.01	set the qr. secs. cor. post in ice,
80.02	To the section corner,
West	On Random between secs. 30 & 31
81.50	To the W. boundy. 20 lks. N. of post, Land & is same as our last mile

T. 33 N. R. 4 W. 2nd P. Mer. Ind.a

6.L East 41.50 81.50	Correct the line between secs. 30 & 31 Set the qr. sec. cor. post in ice, To the section corner,
North 40.00 80.00	Between sections 29 & 30, Set the qr. sec. cor. post from which Set a post cor. to secs. 19.20 29 & 30 Land, grand marsh covered with ice,
East 80.14	On Random between sections 20 & 29 To the E. line of sec. 15 chs. N. of post, Land &c. is same as on last mile,
West 40.07 80.14	Correct the line between secs. 20 & 29 Set the qr. sec. cor. post in ice, To the sec. corner,
West 81.63	On Random between sections 19 & 30 To the W. boundy. 46 chs S. of post, a W. Oak 24 in. dia. bears N 27 E 68 links, & a B. Oak 20 " " " N 15 E 675 " " Land covered with ice & some timber on part,
East 41.63 81.63	Correct the line between sec. 19 & 30 Set the qr sec. cor. post in ice, To the section corner, Jany. 17th 1835,
North 40.00 80.00	Between sections 19 & 20, Set the qr. sec. cor. post in water 6 in deep ice underneath 6 inches thick, Set a post cor. to secs. 17.18.19 & 20 in water & ice cold enough Land Grand marsh covered with ice & water & blowing & snowing! —

T. 33 N. R. 4 W. 2nd P. Mer. Ind'a

G. L.	
East	On Random between secs. 17 & 20,
80.23	2/5 the E. line of secs. 17 & 20, N. of post, Land &c. is same last mile,
West	Correct the line between secs. 17 & 20
40.11±	Set the gr. secs. cor. post in mi'd.
80.23	2/5 the section corner,
West	On Random between secs. 18 & 19
20.00	Enter timber
60.00	Leave the same,
81.63	2/5 the W. boundy, 96 lks. S. of post, Land in grove third rate & Oak brush,
East	Correct the line between secs. 18 & 19
41.63	Set the gr. secs. cor. post from which a B. Oak 22 in. dia. bears S 56 E 109 lks. dist. & a W. Oak 10 " " " N 29 E 146 " "
81.63	2/5 the section corner,
North	Between sections 17 & 18,
20.00	Enter timber (= grove
40.00	Set the gr. secs. cor. post on E side of a W. Oak 18 in. dia. bears N 95 E 49 lks, & a Do. 16 " " " N 53 W 35 "
57.94	2/5 a W. Oak 10 " " in the line,
80.00	Set a post cor. to secs. 7, 8, 17 & 18, a B. Oak 18 in. dia. bears N 4 W 291 lks, & a R. Oak 18 " " " S 20 E 421 " Land level & 3d. rate & the timber is Oak stool grubs & some whortleberry &c
East	On Random between secs. 8 & 17
20.00	Leave scattering timber

T. 33 N. R. 4 W. 2nd Mer. Ind.a

E. L.	
80.26	To the E. line of sec. 36 Ch. N. of post,
	Land level & 3d. rate marky marsh,
	& the timber is the same,
West	Correct the line between secs. 8 & 17
40.13	Set the 2r. sec. cor. post, in ice & water
80.26	To the section corner,
West	On Random between secs. 7 & 18,
50.00	Leave the grove
81.63	To the W. boundy. 17 Ch. S. of post,
	Land third rate & the timber is Oak &c,
East	Correct the line between secs. 7 & 18,
41.63	Set the qr. sec. cor. post from which
	a B. Oak 20 in. dia. bears N 81 E 40 lks. dist.
	& a Do. 22 " " " N 74 W 161 " "
81.63	To the sec. corner, (Jany. 18th)
North	Between sections 7 & 8,
17.00	Leave the grove,
40.00	Set the qr. sec. cor. post in ice & water
53.00	To deep water & bottom ice. being near
	the tail end of Hog creek,
80.00	Set a post cor. to secs. 5. 6. 7 & 8. in marsh
	Land most of it flaggy marsh,
East	On Random between sec. 5 & 8,
4.60	Entered a willow thicket
32.00	Leave the Do. do. Part of Hog ck.
	runs through them willows —
72.50	Enter pond of timber
80.64	To the E. line of secs. 43 Ch. N. of post
	Land all marsh covered with ice & water

T. 33 N. R. 4 W. 2nd P. Mer. Ind.a

	C. L. & the timber is Oak & willow —.
West	Correct the line between Sec. 5 & 8,
40.32	Set the 1/4 sec. cor. post in mark,
80.64	to the section corner,
West	On Random between Sec. 6 & 7,
1.00	touched S. side of a small grove
81.47	to the Range line 27 lks. S. of post,
	Land same & more than W. ± nearly dry
East	Correct the line between sections 6 & 7
41.67	set the qr. sec. cor. post in water &
81.47	to sec. cor. frozen mark
North	Between sections 5 & 6,
1.50	Enter thicket of small willows
17.00	Leave the " " " do,
60.00	set the qr. sec cor. post in water
81.73	to the N. boundy. 110 lks. E. of post,
	where set post cor. to secs. 5 & 6,
	no bearings on S. side of line,
	Land is a continued slough.
	January 19th. 1835, a cauld. sleeting snowing
	blowing thrashing day. —

Meanders of Kankakee river,
Begin at point in E. boundy. Right bank,
Down stream, or Right bank —

Course	C. L.	Remarks,
S 87 W	23.00	In section 36,
S 89 W	4.50	
N 20 ½ W	8.82	to line of secs. 25 & 36,

T. 33 N. R. 4 W. 2nd Mer. Ind.a

Course	Ch. Lks	Meanders Continued,
N25W	4.00	In sec. 25
Fresh	3.00	
N18¾W	3.85	To line of secs. 25 & 36,
		"
N71¼	36.97	" line of secs. 25 & 36
N61W	6.29	" line " " 25 & 26
N81W	20.00	In sec. 26
N76W	23.00	
N87W	11.00	
N44½W	11.34	To line of secs. 26 & 35
S2W	15.00	In sec. 35,
S11W	9.00	
S19W	7.00	
S32W	5.00	
S52½W	7.00	To line of secs. 34 & 35
S73W	10.00	In sec 34
N86W	7.00	
N68W	11.00	
N27W	15.00	
N67W	4.00	
N46W	29.97	To line of secs. 27 & 34
N49W	8.00	at 7.25 lks. a stream 60 lks. wide f. N.
N85½W	15.53	To line of secs. 27 & 28,
S78½W	7.00	In sec. 28,
S42½W	16.62	To line of secs. 28 & 33
S31W	11.00	In sec. 33,

T. 33 N. R. 4 W. 2nd P. Mer. Ind.a

Corner	B. L.	Meanders Continued,
N 67 W	24.00	1st 10 chs. high Oak land
N 10 W	19.00	to caving bank,
N 70 E	7.00	
N 58 E	5.00	
N 39 E	5.00	
N 15 E	6.00	
N 54 E	6.00	
N 60 E	2.62	to line between secs. 33 & 34
N 67 E	4.00	In sec. 34
N 50 E	5.00	
N 6 E	3.00	
N 39 W	5.00	
N 59 W	5.44	to line of secs. 33 & 34
N 51 W	4.00	In sec. 33. to stagnant water
N 64½ W	9.00	
N 34 W	11.50	
N 39 W	7.00	
N 80 W	6.00	
N 61 W	18.50	at 12.50 a bayou 200 lks. wide
N 82 W	10.00	
N 62 W	7.50	
N 30 W	12.00	
N 48½ W	5.29	to corner on N. boundy,
		Meanders of Kankakee R, Begin at post on Left bank in the E. boundy. down stream
Post	11.00	
N 85 W	10.00	
N 87 W	12.00	
N 79 W	18.00	

T. 33 N. R. 14 W. 2nd Mer. Ind'a

Course	Ch. & L.	Meanders continued,
N65W	5.00	To cor. to secs. 36,
N73W	10.00	
N65W	6.00	
N71W	10.41	To line of secs 35 & 36
N81W	20.00	To cor. to secs. 35
S79W	11.00	
S86W	10.00	
S72W	13.00	
S64W	7.00	
S63W	5.00	
S20W	10.00	
S7W	8.00	
S52W	5.00	
N81W	9.22	To line of secs. 34 & 35
N70W	10.00	To cor. to secs. 34
N82W	14.00	
N61W	11.00	
N31W	15.00	
N46W	36.96	To line between secs. 27 & 34
West	12.94	To the cor. of secs. 27 28 33 & 34
S58W	8.00	To sec. 33
S23W	10.00	
South	9.00	
S22W	10.00	
S9W	16.00	
S63E	2.00	
N24E	10.00	
N43E	6.00	
N71E	4.00	

T. 33 N. R. 4 W. 2nd P. M., Ind'a.

Comm	C. & L.	Meandering Cor't'y
East	3.30	To line of secs. 33 & 34
N 67 E	7.00	In sec. 34
N 50 E	6.50	
N 10 E	3.00	
N 4 W	4.00	
N 37 W	7.50	
N 69 W	8.07	To line of sec. 33 & 34
N 64 E	9.00	In sec. 33,
N 38 W	14.00	
N 77 W	9.00	
N 73 W	6.00	
N 63 W	17.00	
West	5.50	
N 33½ W	16.02	To post on the S. boundy,
		Meanders of old Channel or bayou of Kankakee river, Begin at post on S. boundy, on W. side then up stream
N 24 W	9.00	In sec. 32
N 6 E	5.50	
N 39 E	6.00	
N 53.50 E	10.43	To line of secs. 32 & 33,
N 64½ E	4.50	In section 33
N 79 E	7.50	
N 45½ E	5.00	
N 56	5.00	
N 55 W	8.00	at 1 ch., a stream 25 lks. wide f. N.E.,
N 10 W	4.00	
N 11 E	6.50	To town line head of bayou

413

T. 33 N. R. 4 W. 2nd. Mer. Ind.a,

Comm	C. L.	Meanders continued,
West	2.60	along town line across Bayou
N 16 E W	7.00	
N 16 E	4.00	
N 42 E	8.00	
N W	3.50	
N 71 W	5.00	
N 75 W	4.00	
S 60 W	3.00	To line between secs. 32 & 33
S 47 W	13.00	In sec. 32
S 17 3/4 E	10.65	To the post in S. boundy,
		Jany. 20th 1835,

I hereby certify that in pursuance of a contract with Micajah T. Williams Surv. Genl. of the N. States for the states of Ohio, Indiana, & Mich. Territory dated March 19th 1834. I in strict conformity to the laws of the N. States & the instructions of said Surv. Genl, I have surveyed & subdivided into sections Township 33 North Range 4 West in Indiana; & I do further certify that the foregoing are the true & original field-notes of said survey & subdivision Executed as aforesaid,

Certified this 27th day of January 1835, Jno. - Smith Dep. Surv,

James Haines & Morgan Baldwin - Chain men -

Isaac. P. Webster. Marker,

T. 33 N. R. 4 W. 2nd Mer. Ind.a

I certify that the foregoing transcript of field notes of Town 33 North Range 4 West 2nd Mer. Indiana, has been compared with the original in this office & found to be correct

S. S. Haines
Sur. Genl.

Surveyor Generals office,
Cincinnati May 23rd 1842.